









































































品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC31				Inductance: 2.2uH~1.5mH DCR:0.1 Ω~66 Ω IDC:0.03A~0.79A
BC32				Inductance: 1.0uH~680uH DCR:43m Ω~22.7 Ω IDC:60mA~2.34A
BC43				Inductance: 1.0uH~68uH DCR:33m Ω~1.171 Ω IDC:0.46A~3.2A
BC52				Inductance: 0.8uH~100uH DCR:29m Ω~1.44 Ω IDC:0.37A~3.0A
BC53				Inductance: 4.2uH~1.0mH DCR:0.07 Ω~8.8 Ω IDC:0.13A~1.85A
BC54				Inductance: 10uH~220uH DCR:0.1 Ω~1.57 Ω IDC:0.35A~1.44A
BC73				Inductance: 10uH~330uH DCR:80m Ω~1.5 Ω IDC:0.28A~1.44A
BC75				Inductance: 10uH~470uH DCR:70m Ω~1.96 Ω IDC:0.34A~2.3A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC104				Inductance: 10uH~560uH DCR:53mΩ~1.904Ω IDC:0.32A~2.38A
BC105				Inductance: 10uH~820uH DCR:60mΩ~2.55Ω IDC:0.24A~2.6A
BC108				Inductance: 10uH~1.2mH DCR:36mΩ~1.92Ω IDC:0.45A~4.05A
BC1206				Inductance: 0.12uH~100uH DCR:0.112Ω~15.60Ω IDC:0.08A~0.97A
BC1210				Inductance: 1.0uH~560uH DCR:0.117Ω~28.6Ω IDC:0.06A~0.8A
BC1812				Inductance: 1.0uH~470mH DCR:0.104Ω~15Ω IDC:0.09A~1.08A
BC2220				Inductance: 0.1uH~10.0mH DCR:9.8Ω~140.0Ω IDC:0.05A~6.0A
BC1212				Inductance: 560uH~2.2mH DCR:80Ω~235Ω IDC:20mA~41mA

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCR63B				Inductance: 10uH~68uH DCR:0.14 Ω~0.82 Ω IDC:0.42A~1A
BCR74B				Inductance: 10uH~270uH DCR:0.07 Ω~1.3 Ω IDC:0.33A~1.65A
BCR105B				Inductance: 10uH~470uH DCR:0.06 Ω~1.5 Ω IDC:0.33A~2.06A
BCR125B				Inductance: 10uH~820uH DCR:0.05 Ω~2 Ω IDC:0.36A~2.65A
BCMS5D12				Inductance: 0.47uH~1000uH DCR:0.027 Ω~234 Ω IDC:0.066A~2.85A
BCMS5D14				Inductance: 0.58uH~1000uH DCR:0.024 Ω~226 Ω IDC:0.11A~4.00A
BCMS5D18				Inductance: 0.47uH~1000uH DCR:0.022 Ω~1850 Ω IDC:0.102A~3.24A
BCMS5D20				Inductance: 0.47uH~1000uH DCR:0.022 Ω~1356 Ω IDC:0.088A~3.10A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCMS5D25				Inductance: 0.50uH~1000uH DCR:0.019Ω~9.72Ω IDC:0.1A~4.9A
BC32B				Inductance: 10uH~390uH DCR:0.23Ω~7.8Ω IDC:0.115A~0.76A
BC43B				Inductance: 1.0uH~68uH DCR:48.7mΩ~1.117Ω IDC:0.33A~2.56A
BC54B				Inductance: 10uH~220uH DCR:0.1Ω~1.57Ω IDC:0.35A~1.44A
BC73B				Inductance: 10uH~330uH DCR:80mΩ~1.76Ω IDC:0.28A~1.44A
BC75B				Inductance: 10uH~470uH DCR:70mΩ~1.96Ω IDC:0.34A~2.3A
BC104B				Inductance: 10uH~560uH DCR:53mΩ~1.904Ω IDC:0.32A~2.38A
BC105B				Inductance: 10uH~820uH DCR:60mΩ~3.1Ω IDC:0.24A~2.6A

























品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCH4312				Inductance: 2.2uH~100uH DCR:104mΩ~3.36Ω IDC:0.18A~1.3A
BC53FU				Inductance: 1.0uH~820uH DCR:37mΩ~10.4Ω IDC:0.15A~4.3A
BCH53				Inductance: 2.2uH~220uH DCR:66mΩ~3.73Ω IDC:0.26A~2.03A
BCH114				Inductance: 2.5uH~470uH DCR:30mΩ~1.56Ω IDC:0.5A~5.1A
BC10F				Inductance: 10uH~1500uH DCR:0.047Ω~4.37Ω IDC:0.25A~2.6A
BCH74				Inductance: 10uH~470uH DCR:56mΩ~2.39Ω IDC:0.33A~2.75A
BCMD4D08				Inductance: 3.3uH~100uH DCR:0.17Ω~5.6Ω IDC:0.16A~1.1A
BCMD4D10				Inductance: 3.3uH~47uH DCR:0.2Ω~2.8Ω IDC:0.3A~1.16A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCMD4D12				Inductance: 3.3uH~100uH DCR:0.2Ω~4Ω IDC:0.24A~1.38A
BCMD4D10C				Inductance: 3.3uH~47uH DCR:0.2Ω~2.8Ω IDC:0.3A~1.16A
BCMD4D12C				Inductance: 3.3uH~100uH DCR:0.2Ω~4Ω IDC:0.24A~1.38A
BC312MF				Inductance: 1.0uH~68uH DCR:87mΩ~4.1Ω IDC:0.21A~1.6A
BC414MF				Inductance: 1.0uH~68uH DCR:63mΩ~185Ω IDC:0.35A~2.65A
BC511MF				Inductance: 1.5uH~68uH DCR:70mΩ~1.64Ω IDC:0.15A~1.6A
BCC5D23				Inductance: 2.7uH~470uH DCR:44mΩ~4.78Ω IDC:0.165A~2.08A
BC1606				Inductance: 1.0uH~1.0mH DCR:0.09Ω~26.8Ω IDC:0.08A~2.45A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC1704				Inductance: 1.2uH~330uH DCR:0.12mΩ~15Ω IDC:0.09A~1.5A
BC2506				Inductance: 4.7uH~1mH DCR:0.145Ω~20.6Ω IDC:0.1A~1.6A
BC1608F				Inductance: 1.0uH~1mH DCR:50mΩ~20.2Ω IDC:0.1A~2.9A
BC3308F				Inductance: 10uH~1mH DCR:0.11Ω~8.4Ω IDC:0.1A~2.4A
BC3316F				Inductance: 1.0uH~1mH DCR:9mΩ~3.0Ω IDC:0.3A~9A
BC3326F				Inductance: 3.3uH~1mH DCR:14mΩ~2.7Ω IDC:0.45A~8.3A
BC3340F				Inductance: 1.5uH~1mH DCR:11mΩ~2.0Ω IDC:0.58A~13.5A
BC5022F				Inductance: 1.0uH~1mH DCR:9mΩ~1.8Ω IDC:0.58A~10.5A

























品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC5040F				Inductance: 4.7uH~100uH DCR:8.5mΩ~1.28Ω IDC:0.88A~14A
BC1608C				Inductance: 1.0uH~10mH DCR:40mΩ~58Ω IDC:0.017A~1.4A
BC3316C				Inductance: 1.0uH~1mH DCR:21mΩ~9.6Ω IDC:0.2A~5.6A
BC5022C				Inductance: 10uH~1mH DCR:40mΩ~2.01Ω IDC:0.54A~5A
BC1813FH				Inductance: 0.18uH~100uH DCR:45mΩ~1.11Ω IDC:0.53A~11.2A
BC3316FH				Inductance: 0.27uH~6.8uH DCR:2mΩ~22mΩ IDC:4.5A~17.8A
BC4020FH				Inductance: 0.35uH~100uH DCR:2.5mΩ~0.265Ω IDC:1.45A~20.0A
BC5022FH				Inductance: 0.47uH~22uH DCR:2.0mΩ~50mΩ IDC:3.6A~20A

























品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC5040FH				Inductance: 2.8uH~1400uH DCR:5.2mΩ~1.59Ω IDC:0.7A~12.1A
BC3DF				Inductance: 1.0uH~270uH DCR:0.072Ω~7.523Ω IDC:0.12A~1.34A
BC3DM				Inductance: 0.1mH~4.7mH DCR:0.65Ω~18.1Ω IDC:0.004A~0.032A
BCB73F				Inductance: 1.2uH~100uH DCR:25mΩ~0.95Ω IDC:0.38A~2.88A
BCB75F				Inductance: 1.0uH~470uH DCR:23mΩ~2.6Ω IDC:0.195A~2.88A
BCB63C				Inductance: 2.2uH~330uH DCR:39mΩ~2.32Ω IDC:0.11A~1.6A
BCB73C				Inductance: 1.0uH~100uH DCR:19mΩ~0.79Ω IDC:0.41A~3.12A
BCB75C				Inductance: 1.0uH~560uH DCR:23mΩ~2.39Ω IDC:0.22A~7.00A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BC52LC				Inductance: 1.2uH~100uH DCR:44mΩ~1.65Ω IDC:0.23A~2.15A
BC53LC				Inductance: 2.0uH~220uH DCR:38mΩ~2.04Ω IDC:0.18A~2.92A
BC62CB				Inductance: 1.0uH~100uH DCR:14mΩ~813mΩ IDC:0.33A~3.48A
BC62LCB				Inductance: 1.0uH~47uH DCR:20mΩ~650mΩ IDC:0.5A~3.5A
BC63CB				Inductance: 2.0uH~150uH DCR:20mΩ~691mΩ IDC:0.37A~3.0A
BC63LCB				Inductance: 1.0uH~150uH DCR:14mΩ~778mΩ IDC:0.31A~3.59A
BCRH2D11				Inductance: 1.5uH~47uH DCR:95mΩ~2.35Ω IDC:0.15A~0.9A
BCRH2D14				Inductance: 1.5uH~12uH DCR:71mΩ~515mΩ IDC:0.62A~1.6A

























品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRH2D18				Inductance: 2.2uH~33uH DCR:43mΩ~620mΩ IDC:0.21A~0.85A
BCRH3D16				Inductance: 1.5uH~100uH DCR:52mΩ~1.95Ω IDC:0.15A~1.55A
BCRH3D16A				Inductance: 1.5uH~100uH DCR:52mΩ~1.95Ω IDC:0.15A~1.55A
BCRH4D18				Inductance: 1.0uH~39uH DCR:35mΩ~709mΩ IDC:0.3A~1.72A
BCRH4D28				Inductance: 1.2uH~180uH DCR:23.6mΩ~1.54Ω IDC:0.22A~2.56A
BCRH5D18				Inductance: 3.3uH~100uH DCR: 50mΩ~1.2Ω IDC:0.36A~2.15A
BCRH5D28				Inductance: 2.6uH~150uH DCR:18mΩ~0.956Ω IDC:0.26A~2.6A
BCRH6D28				Inductance: 3.0uH~150uH DCR:24mΩ~0.615Ω IDC:0.42A~3.0A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRH6D38				Inductance: 3.3uH~100uH DCR:23mΩ~0.358Ω IDC:0.65A~3.5A
BCRH8D28				Inductance: 2.5uH~100uH DCR:15.6mΩ~0.43Ω IDC:0.75A~4.5A
BCRH8D43				Inductance: 2.5uH~100uH DCR:17mΩ~0.36Ω IDC:0.9A~5.7A
BCPH73				Inductance: 10uH~470uH DCR:90mΩ~3.5Ω IDC:0.2A~1.4A
BCPH73B				Inductance: 10uH~470uH DCR:90mΩ~3.5Ω IDC:0.2A~1.4A
BCRH62				Inductance: 2.9uH~47uH DCR:68mΩ~0.69Ω IDC:0.5A~1.94A
BCRH64				Inductance: 10uH~1mH DCR:0.12Ω~9.26Ω IDC:0.14A~1.35A
BCRH73				Inductance: 10uH~1.0mH DCR:72mΩ~9.44Ω IDC:0.16A~1.68A

























品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRH74				Inductance: 10uH~1.0mH DCR:53mΩ~6.0Ω IDC:0.18A~1.84A
BCRH104				Inductance: 1.0uH~470uH DCR:14mΩ~1.74Ω IDC:0.36A~7.0A
BCRH105				Inductance: 1.2uH~470uH DCR:17mΩ~2.6Ω IDC:0.45A~9.0A
BCRH105A				Inductance: 1.0uH~470uH DCR:6.0mΩ~1.46Ω IDC:0.6A~10A
BCRH123				Inductance: 1.5uH~470uH DCR:15mΩ~2.3Ω IDC:0.45A~8.0A
BCRH124				Inductance: 3.9uH~330uH DCR:15mΩ~0.99Ω IDC:0.5A~6.0A
BCRH125				Inductance: 10uH~1mH DCR:25mΩ~1.53Ω IDC:0.4A~4A
BCRH127				Inductance: 1.2uH~1mH DCR:7.0mΩ~1.82Ω IDC:0.55A~9.8A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRH127/LD				Inductance: 1.0uH~1mH DCR:6.5mΩ~1.5Ω IDC:0.66A~14A
BCRH62B				Inductance: 2.9uH~47uH DCR:68mΩ~0.69Ω IDC:0.5A~1.94A
BCRH64B				Inductance: 10uH~1mH DCR:0.12Ω~9.26Ω IDC:0.14A~1.35A
BCRH73B				Inductance: 10uH~1.0mH DCR:72mΩ~9.44Ω IDC:0.16A~1.68A
BCRH74B				Inductance: 10uH~1.0mH DCR:65mΩ~6.0Ω IDC:0.18A~1.84A
BCRH124B				Inductance: 3.9uH~330uH DCR:20mΩ~0.99Ω IDC:0.5A~6.0A
BCRH125B				Inductance: 10uH~1mH DCR:25mΩ~1.8Ω IDC:0.4A~4A
BCRH127B				Inductance: 1.2uH~1.0mH DCR:7.0mΩ~1.82Ω IDC:0.55A~9.8A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRHB124				Inductance: L(1-3):10uH TURN RATED: N(1-3):N(2-4)=1:2.2~1:2.4 DCR:38mΩ~0.6Ω IDC:L(1-3):4A
BCRHB125				Inductance: L(1-3):5.6uH~12uH TURN RATED: N(1-3):N(2-4)=1:1.4~1:2.2 DCR:20mΩ~0.3Ω IDC:L(1-3):4A~5.3A
BCRHB127				Inductance: L(1-3):7.6uH~10uH TURN RATED: N(1-3):N(2-4)=1:2.2~1:4.2 DCR:22mΩ~0.65Ω IDC:L(1-3):4.5A~7A
BCRHB124B				Inductance: L(1-3):10uH TURN RATED: N(1-3):N(2-4)=1:2.2~1:2.4 DCR:38mΩ~0.6Ω IDC:L(1-3):4A
BCRHB125B				Inductance: L(1-3):5.6uH~12uH TURN RATED: N(1-3):N(2-4)=1:1.4~1:2.2 DCR:20mΩ~0.3Ω IDC:L(1-3):4A~5.3A
BCRHB127B				Inductance: L(1-3):7.6uH~10uH TURN RATED: N(1-3):N(2-4)=1:2.2~1:4.2 DCR:22mΩ~0.65Ω IDC:L(1-3):4.5A~7A
BCRH4D14R				Inductance: 1.0uH~82uH DCR:58mΩ~3.0Ω IDC:0.19A~1.5A
BCRH5D28R				Inductance: 2.5uH~100uH DCR:17.6mΩ~0.52Ω IDC:0.4A~2.6A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCRH103R				Inductance: 10uH~150uH DCR:58.1mΩ~0.876Ω IDC:0.7A~2.7A
BCRH1035R				Inductance: 1.5uH~470uH DCR:10mΩ~2.22Ω IDC:0.5A~7.69A
BCRH104R				Inductance: 1.0uH~330uH DCR:8.1mΩ~1.09Ω IDC:0.63A~9.0A
BCRH105R				Inductance: 10uH~1.0mH DCR:25.8mΩ~1.946Ω IDC:0.35A~3.45A
BCRH105RY				Inductance: 0.8uH~1mH DCR:4.3mΩ~1.989Ω IDC:0.46A~11.50A
BCEP104S				Inductance: 0.22uH~2.5uH DCR:2.2mΩ~21.8mΩ IDC:7.40A~23.0A
BCEP104L				Inductance: 0.36uH~4.3uH DCR:2.2mΩ~21.8mΩ IDC:7A~22A
BCEP105S				Inductance: 0.22uH~5uH DCR:2.6mΩ~23.8mΩ IDC:6.65A~20A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCEP105L				Inductance: 0.36uH~8.8uH DCR:2.6mΩ~23.8mΩ IDC:4.5A~21A
BCEP105H				Inductance: 0.15uH~3uH DCR:2.6mΩ~23.8mΩ IDC:7.2A~20A
BCEP125				Inductance: 1.2uH~10uH DCR:2.5mΩ~13.5mΩ IDC:5A~17A
BCEP125H				Inductance: 1.0uH~7.2uH DCR:2.5mΩ~13.5mΩ IDC:7.8A~20A
BCEP125U				Inductance: 0.3uH~5.6uH DCR:2.5mΩ~13.5mΩ IDC:9.0A~23.5A
BCEP134S				Inductance: 0.4uH~8.0uH DCR:2.5mΩ~18.4mΩ IDC:7.0A~19.0A
BCEP134H				Inductance: 0.3uH~6.0uH DCR:2.5mΩ~18.4mΩ IDC:8.0A~18.0A
BCEP147S				Inductance: 0.4uH~9.5uH DCR:2.1mΩ~13.3mΩ IDC:9.3A~23.0A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCEP147L				Inductance: 0.5uH~12uH DCR:2.1mΩ~13.3mΩ IDC:8.0A~24.0A
BCEP147H				Inductance: 0.3uH~7.3uH DCR:2.1mΩ~13.3mΩ IDC:9.2A~23.0A
BCEPI1010				Inductance: 10uH~27uH DCR:13.5mΩ~28mΩ IDC:3.0A~4.9A
BCPS6430				Inductance: 0.047uH~0.15uH DCR:0.26Ω~0.26Ω IDC:14.5A~30A
BCPS6450				Inductance: 0.05uH~0.2uH DCR:0.29Ω~0.29Ω IDC:19A~30A
BCPS9050				Inductance: 0.01uH~0.22uH DCR:0.269Ω~0.35Ω IDC:23A~28A
BCIHP0718				Inductance: 0.33uH~4.7uH DCR:7mΩ~78mΩ IDC:3.0A~12.9A
BCIHP0724				Inductance: 0.47uH~10uH DCR:6.5mΩ~129mΩ IDC:2.5A~13.5A

品名 Type	尺寸圖 Dimension(mm)	推薦焊盤尺寸圖 Recommended Land Patterns For SMT (mm)	端子連接(線路圖) Connection (Bottom View)	規格 Specifications
BCIHP0730				Inductance: 0.22uH~22.0uH DCR:3.1mΩ~230mΩ IDC:2A~22A
BCIHP0735				Inductance: 0.22uH~22.0uH DCR:3.1mΩ~230mΩ IDC:2A~22A
BCIHP1040				Inductance: 0.56uH~22.0uH DCR:2.5mΩ~92mΩ IDC:3.5A~22A
BCIHP1338				Inductance: 0.56uH~22.0uH DCR:2.5mΩ~92mΩ IDC:3.5A~22A
BCIHP1350				Inductance: 1.5uH~6.8uH DCR:4.3mΩ~19.8mΩ IDC:10A~18A
BCIHP1367				Inductance: 2.2uH~10uH DCR:4.2mΩ~18.5mΩ IDC:10A~20A
BCX114				Parallel(1,4-3,2) L:0.47uH~300uH DCR:9mΩ~1.53Ω IDC:0.32A~5.5A Series:(1-3)tie(2-4) L:1.67uH~1.2mH DCR:40mΩ~6.1Ω IDC:0.16A~2.75A
BCX147				Parallel(1,4-3,2) L:0.47uH~300uH DCR:4mΩ~0.672Ω IDC:0.62A~7A Series:(1-3)tie(2-4) L:1.76uH~1.19mH DCR:16mΩ~2.68Ω IDC:0.31A~3.5A